

10/03/00  
Jc894 U.S. PRO

10-04-00

PTO  
615619/601  
10/03/00

Please type a plus sign (+) inside this box → ☐


Approved for use through 09/30/2000. OMB 0651-0032  
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

<b>UTILITY PATENT APPLICATION TRANSMITTAL</b> (Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))	Attorney Docket No.	4646.002
	First Inventor or Application Identifier	Cox, Alan L.
	Title	STORAGE AND RETRIEVAL SYSTEM FOR WEB CACHE
	Express Mail Label No.	EL157448505US

APPLICATION ELEMENTS <i>See MPEP chapter 600 concerning utility patent application contents.</i>	ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
1. <input checked="" type="checkbox"/> * Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original and a duplicate for fee processing)	5. <input type="checkbox"/> Microfiche Computer Program (Appendix)
2. <input checked="" type="checkbox"/> Specification [Total Pages <b>19</b> ] (preferred arrangement set forth below) <ul style="list-style-type: none"><li>- Descriptive title of the Invention</li><li>- Cross References to Related Applications</li><li>- Statement Regarding Fed sponsored R &amp; D</li><li>- Reference to Microfiche Appendix</li><li>- Background of the Invention</li><li>- Brief Summary of the Invention</li><li>- Brief Description of the Drawings (if filed)</li><li>- Detailed Description</li><li>- Claim(s)</li><li>- Abstract of the Disclosure</li></ul>	6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) <ul style="list-style-type: none"><li>a. <input type="checkbox"/> Computer Readable Copy</li><li>b. <input type="checkbox"/> Paper Copy (identical to computer copy)</li><li>c. <input type="checkbox"/> Statement verifying identity of above copies</li></ul>
3. <input checked="" type="checkbox"/> Drawing(s) (35 U.S.C. 113) [Total Sheets <b>4</b> ]	<b>ACCOMPANYING APPLICATION PARTS</b>
4. Oath or Declaration [Total Pages <b>4</b> ] <ul style="list-style-type: none"><li>a. <input checked="" type="checkbox"/> Newly executed (original or copy)</li><li>b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d)) (for continuation/divisional with Box 16 completed)</li><li>i. <input type="checkbox"/> <u>DELETION OF INVENTOR(S)</u> Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).</li></ul>	7. <input checked="" type="checkbox"/> Assignment Papers (cover sheet & document(s))
<b>* NOTE FOR ITEMS 1 &amp; 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).</b>	8. <input type="checkbox"/> 37 C.F.R. § 3.73(b) Statement (when there is an assignee) <input checked="" type="checkbox"/> Power of Attorney
	9. <input type="checkbox"/> English Translation Document (if applicable)
	10. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations
	11. <input type="checkbox"/> Preliminary Amendment
	12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) (Should be specifically itemized)
	13. <input checked="" type="checkbox"/> * Small Entity Statement(s) <input type="checkbox"/> Statement filed in prior application, (PTO/SB/09-12) Status still proper and desired
	14. <input type="checkbox"/> Certified Copy of Priority Document(s) (if foreign priority is claimed)
	15. <input type="checkbox"/> Other: _____

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:  
☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: \_\_\_\_\_  
Prior application information: Examiner \_\_\_\_\_ Group / Art Unit: \_\_\_\_\_  
**For CONTINUATION or DIVISIONAL APPS only:** The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

<b>17. CORRESPONDENCE ADDRESS</b>					
<input type="checkbox"/> Customer Number or Bar Code Label (Insert Customer No. or Attach bar code label here) or <input type="checkbox"/> Correspondence address below					
Name	C. Dale Ouisenberry Goldstein & Healey, LLP				
Address	1177 West Loop South, 10th Floor				
City	Houston	State	TX	Zip Code	77027
Country	USA	Telephone	(713) 877-1515	Fax	(713) 877-1145

Name (Print/Type)	C. Dale Ouisenberry	Registration No. (Attorney/Agent)	36,643
Signature		Date	

Burden Hour Statement: This form is estimated to take 9.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.



**VERIFIED STATEMENT CLAIMING SMALL ENTITY STATUS  
(37 CFR 1.9(f) & 1.27(c))--SMALL BUSINESS CONCERN**

Applicant or Patentee: Cox, Alan L., et al  
 Serial or Patent No.: \_\_\_\_\_  
 Filed or Issued: Herewith  
 Title: STORAGE AND RETRIEVAL SYSTEM FOR WEB CACHE

I hereby declare that I am

- ☐ the owner of the small business concern identified below:
- ☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF SMALL BUSINESS CONCERN: **iMimic Networking, Inc.**

ADDRESS OF SMALL BUSINESS CONCERN: **3903 Cedar Gardens Drive, Houston, Texas 77082-4003**

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention described in:

- ☒ the specification filed herewith with title as listed above.
- ☐ the application identified above.
- ☐ the patent identified above.

If the rights held by the above identified small business concern are not exclusive, each individual concern or organization having rights in the invention must file separate verified statements averring to their status as small entities, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e).

Each person, concern or organization having any rights in the invention is listed below:

- ☒ no such person, concern or organization exists.
- ☐ each such person, concern or organization is listed below.

Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

[illegible][illegible][illegible][illegible][illegible][illegible]

Attorney Docket  
No. 4646.002/CDQ

JC921 U.S. PTO  
09/677979  
10/03/00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: )  
 )  
COX, ALAN L., et al )  
 )  
Serial No.: ) Group Art Unit:  
 )  
Filed: Herewith ) Examiner:  
 )  
For: STORAGE AND RETRIEVAL SYSTEM )  
FOR WEB CACHE )


GENERAL AUTHORIZATION

Assistant Commissioner for Patents  
Washington, D.C. 20231

CERTIFICATE OF MAILING 37 C.F.R. § 1.10	
I hereby certify that this document and its attachments are being deposited with the United States Postal Service, "Express Mail" service, as Express Mail No. EM045512628US in an envelope addressed to Assistant Commissioner for Patents, Box Patent Application, Washington, D.C. 20231, on the date below:	
<u>10-02-00</u> Date	<u><i>Elinor Baran</i></u> Signature

Sir:

Pursuant to 37 C.F.R. § 1.136(a)(3), Applicant authorizes the Commissioner to treat any concurrent or future reply that requires a petition for an extension of time as incorporating a petition for an extension of time for the appropriate length of time, assuming the required petition is not separately submitted with the reply. If no check is submitted with the reply, or if a check is submitted but it is insufficient to cover the required fee, then the Commissioner is authorized to charge the required fee to Deposit Account No. 20-1299, Order No. 4646.002/CDQ.

  
C. Dale Quisenberry  
Goldstein & Healey, L.L.P.  
1177 West Loop South, 10th Floor  
Houston, Texas 77027  
(713) 877-1515  
(713) 877-1145 (Facsimile)

C. Dale Quisenberry  
Goldstein & Healey, L.L.P.  
1177 West Loop South, 10th Floor  
Houston, Texas 77027  
(713) 877-1515  
(713) 877-1145 (Facsimile)

[illegible]

ENTITLED:

By

Y. Charlie Hu

**Vijay S. Pai**

**Vivek S. Pai**

# Willy Zwaenepoel

## 37 C.F.R. § 1.10

I hereby certify that this document and its attachments are being deposited with the United States Postal Service, "Express Mail" service, as Express Mail No. EL15744850506 in an envelope addressed to Assistant Commissioner for Patents, Box Patent Application, Washington, D.C., 20231, on the date indicated below:

10-02-00

Date \_\_\_\_\_

Eline Barnes

Signature

# STORAGE AND RETRIEVAL SYSTEM FOR WEB CACHE

## BACKGROUND OF THE INVENTION

### 1. FIELD OF THE INVENTION

The present invention relates generally to Web content storage servers and more particularly to Web caching systems.

### 2. DESCRIPTION OF THE PRIOR ART

The Internet is rapidly becoming an important means of providing information and communicating with others, regardless of geographic location. One of the primary innovations responsible for the increase in use of the Internet is the World Wide Web. The World Wide Web (Web) is a set of protocols that enables users to access text, graphical data and other multimedia data from various geographic locations. This text, graphical data and other multimedia data, individually known as Web objects and collectively known as Web content, is typically organized as Web pages. A Web page may be implemented in any document markup language, such as Hypertext Markup Language (HTML) or Extensible Markup Language (XML). Document markup language commands for a Web page are stored in a file on a Web content server.

Other components associated with a Web page, such as images, graphs, charts, icons and other Web objects are typically each stored in a separate file. These components may be embedded in a Web page by including a reference to the embedded object in the document markup commands in a Web page file. An embedded object that is referenced in this way in a Web page is typically downloaded each time the Web page itself is downloaded. Alternatively, using document markup language commands in the Web page file, a Web object may be hyper-linked in a Web page, resulting in a hyper-link to the object being displayed rather than the object itself. To access the hyper-linked object, a user may select the hyper-link and the object is then downloaded. Although Web objects are stored in individual files, many or all of the files containing Web objects embedded in a particular Web page may be retrieved at nearly the same time as the file containing that Web

page. Files containing Web objects hyper-linked in that Web page may be retrieved shortly thereafter.

To view a Web page, a computer user may launch a Web browser application on his computer. The Web browser allows a user to enter a Uniform Resource Locator (URL) that specifies the desired Web page. The Web browser then submits a request for the Web page over a communications network to an Internet Service Provider. The Internet Service Provider may satisfy the request in at least two ways.

The Internet Service Provider may submit the request across the Internet to a Web content origin server that stores the Web page data. The overall retrieval time for a request for a particular Web page includes the amount of time necessary to route a request to a Web content origin server, as well as the time to retrieve the Web page data from a storage device on the Web content origin server. Additionally, the overall retrieval time includes download time, which is the amount of time necessary to transfer data from the Web content origin server to a client computer, after being retrieved from disk on the Web content origin server.

Alternatively, an Internet Service Provider may utilize a Web caching server (also commonly referred to as a Web caching proxy) to decrease the overall retrieval time for the request. This Web caching server may be located on the Internet Service Provider's premises and stores frequently accessed Web content. Utilizing a Web caching server may significantly reduce the request routing time and the download time. For accesses that "hit" in the cache, i.e., for which a current copy of the requested data is present in the cache, the request routing and the download time are greatly reduced. In addition, a Web caching server also reduces the bandwidth used by the Internet Service Provider. However, the time necessary to retrieve Web page data from a disk on the Web caching server still remains a significant factor in overall retrieval time.

In some conventional Web caching servers, Web objects are stored by using file system commands for writing data to a magnetic disk. Most operating systems provide an electronic file system and directory structure in which system files, computer programs, and user generated files may be stored. In addition to providing a structure for electronic files, an operating system typically includes software routines and file system commands that may be used to store, modify and access files in the file system. However, the storage and retrieval routines provided with an operating



system are generally not aware of the logical relationships between different files, and in particular they are not aware of embedding or hyper-linking relationships between files containing Web content. As a result of storing data in this manner, files and data that are logically related are often not co-located on a magnetic disk. Therefore, retrieval time for Web content stored on a magnetic disk is increased, as explained in the following paragraphs.

5                   Magnetic disks are the most common type of storage device for Web content. One or more magnetic disks may be coupled to a Web content server or a Web caching server. A disk is a mechanical device, including one or more platters, a spindle on which the platters are mounted, and a disk arm having disk heads that read and write data to and from the disk. The disk operates in a continuous rotating motion at a fixed speed while the disk arm may be moved in and out to access portions of the disk. Each platter is divided into a number of annular disk tracks. The platters of the magnetic disk are arranged in a vertical stack, such that corresponding disk tracks on the platters may be accessed without requiring a movement by the disk arm. The corresponding disk tracks are collectively known as a cylinder. Each disk track is further divided into a number of disk sectors that are typically of a fixed size.       The amount of time necessary to retrieve data from a magnetic disk includes time allotted to four operations. In order to retrieve data stored on a particular sector of the disk, the proper platter is selected in a process called head selection. A seek is performed such that the disk arm is moved to place a disk head over the proper track. Then, a time period called rotational latency is required to allow the disk head to arrive above the proper sector on the track. Finally, the data is transferred from the sector of the disk. Of the four operations, the time necessary to perform a seek is the most significant and dominates the other three steps. Furthermore, the seek time grows considerably with the length of the seek (the number of cylinders between the start and the end of the seek).

Electronic files and data are typically stored on a magnetic disk as one or more disk blocks. Generally, disk blocks are a fixed size series of bytes (e.g., 512 bytes) that are allocated by a file system to store a portion of a file. An electronic file may be stored as several disk blocks located at different tracks or platters on a magnetic disk. Typically, each file includes an index to all of the disk blocks for that file. In a UNIX® operating system, each file has an inode that stores administrative information about the file, including an index to all of its disk blocks.

The concept of allocating disk blocks for a single file in co-located positions on the disk and thereby reducing disk access times is well known. McKusick et al. teaches a UNIX® file system, the UNIX® Fast File System (FFS), in which allocation of disk blocks for each file is optimized for the purpose of reducing the number of seek operations necessary to read the file. M.K. McKusick, W.N. Joy, S.J. Leffler, and R.S. Fabry, "A fast file system for UNIX®," ACM Transactions on Computer Systems, Vol. 2, No. 3, pp. 181-197 (August 1984). Fast File System (FFS) uses the concept of cylinder groups to facilitate file allocation. A cylinder group is a collection of neighboring cylinders. The UNIX® FFS attempts to allocate all inodes of files from the same file system directory in the same cylinder group on a magnetic disk. Additionally, the UNIX® FFS attempts to allocate all disk blocks of a particular file in the same cylinder group as its corresponding inode. Although the UNIX® FFS attempts to store files according to the previously mentioned algorithm, if disk blocks in the desired positions are not available, the UNIX® FFS will store the data in other locations on the disk. The McKusick et al. paper is different from the present invention in that the FFS merely attempts to allocate the disk blocks of a single file in co-located locations on the disk, but does not attempt to store related files in co-located positions. Additionally, the FFS does not provide a method of decreasing disk retrieval times for Web content by taking advantage of the embedding or hyper-linking relationships between files representing Web content.

In another reference, Rosenblum et al. teaches a UNIX® file system, the log-structured file system (LFS), in which the allocation of disk space on a magnetic disk is optimized in order to improve the performance of write operations. M. Rosenblum and J.K. Ousterhout, "The design and implementation of a log-structured file system," ACM Transactions on Computer Systems, Vol. 10, No. 1, pp. 26-52 (February 1992). All data for files, including inodes and data blocks, is written to a sequential log on the disk. As a result, write operations are fast because seek operations are avoided while writing. However, the performance of read operations is not improved in the system set forth in Rosenblum et al. Also, the system does not attempt to store related files in co-located positions on the disk, and does not provide a method for decreasing disk retrieval times for Web content by taking advantage of the embedding or hyper-linking relationships between files representing Web content.

Therefore, it would be beneficial to provide a system for storing related files, and in particular Web objects with correlated retrieval times, such that the amount of seek time required to retrieve the files is reduced.

## SUMMARY OF THE INVENTION

5 In one embodiment, the present invention provides a method for storing Web content including storing a first Web object on a storage device. The method further includes storing a second Web object on the storage device in a co-located position from the first Web object, wherein the first and second Web objects have correlated retrieval times.

10 In another embodiment of the invention, a storage system is provided that includes a microprocessor and a storage device coupled to the microprocessor that is adapted to store Web objects and storage routines. The storage system also includes a storage routine adapted to store first and second Web objects in co-located positions on the storage device, wherein the first and second Web objects have correlated retrieval times.

15 In yet another embodiment, the invention provides a programmable storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform a method for storing Web content. The method embodied on the programmable storage device includes storing a first Web object on a storage device. The method further includes storing a second Web object on the storage device in a co-located position from the first Web object, wherein the first and second Web objects have correlated retrieval times.

## BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a diagram of a communications network including a client computer retrieving Web content in accordance with an embodiment of the invention.

25 Figure 2 is a diagram of a Web caching server in accordance with an embodiment of the invention.

Figure 3 is a diagram of a magnetic storage device in accordance with an embodiment of the invention.

Figure 4 is a flow diagram depicting a method for storing web content in accordance with one embodiment of the invention.

#### DETAILED DESCRIPTION OF THE INVENTION

The invention provides a method and system for storing Web content in co-located positions. It is understood that the following embodiments, while illustrative of the invention, represent only some of the possible embodiments and, therefore, should not limit the scope of the invention.

Referring to Fig. 1, a Web browser 10 may be executed on a client computer 12 to view Web pages. A computer user may utilize any conventional Web browser software, such as NETSCAPE NAVIGATOR® by Netscape Corporation or INTERNET EXPLORER® by Microsoft Corporation, which executes on client computer 12 to retrieve Web pages and to download information. The client computer 12 may be in communication with an Internet Service Provider 14 via a modem or other network communications device. The Internet Service Provider 14 essentially permits a client computer 12 to retrieve data from various locations on a communications network, such as the Internet. The client computer 12 submits a request for data using one of several conventional protocols, such as file transfer protocol (FTP) or hyper-text transfer protocol (HTTP). Generally, Web pages are retrieved via the HTTP protocol.

Typically, a computer user specifies the URL for a desired Web page in the Web browser 10 executing on the client computer 12. By communicating with the Internet Service Provider 14, the client computer may retrieve data for a Web page that is located on a Web origin server 16 at a specified internet address. The Internet Service Provider may satisfy a request for a specific URL by downloading a Web page and other data associated with the Web page from the Web origin server 16 specified in the URL.

In order to provide data at increased speeds, the Internet Service Provider 14 may also use a Web caching server 18 located on a computer or server within the Internet Service Provider's network. According to this embodiment, when a URL request is submitted by a client computer 12, the Internet Service Provider 14 may first determine if a current copy of the desired Web page is stored in a storage device 20 on the Web caching server 18. The storage device 20 may be any device capable of storing Web content such as a magnetic disk, optical disk, main memory, or other

storage media. If a current copy of the desired Web page is stored on the storage device 20 of the Web caching server 18, the Internet Service Provider 14 retrieves the data directly from the Web caching server 18 and returns the Web page to the client computer 12. However, if a current copy of the Web page is not present on the Web caching server 18, the Internet Service Provider 14 may download the Web page from the Web origin server 16.

5 Because a Web caching server 18 has a finite storage capacity, it may be selective in determining which Web pages to store. The Web caching server 18 may utilize any methodology for selecting particular Web pages to store. For example, the Web caching server 18 may store the most recent Web pages retrieved by the customers of Internet Service Provider 14 (e.g., the 1,000,000 most recently retrieved Web pages). Alternatively, the Web caching server 18 may store  
10 Web pages that are most often retrieved by customers of the Internet Service Provider 14. In yet another embodiment, the Web caching server 18 may store Web pages that are related to topics of particular interest to the customers of the Internet Service Provider 14. According to another embodiment, Web caching server 18 may store Web pages that are pre-positioned there by a content delivery system. In yet another embodiment of the invention, the Web caching server 18 may choose  
15 to store any combination of the Web pages selected by the previously mentioned methods.

Although conventional Web caching servers reduce download time and the bandwidth necessary to transfer data associated with a Web page, seek time remains an important factor in both the overall retrieval time for a Web page and the maximum number of requests per second a Web caching server can support. Therefore, a Web caching server 18 in accordance with the invention  
20 reduces the seek time for retrieving a Web page by storing Web pages that have correlated retrieval times in co-located positions on disk. Web objects with correlated retrieval times are those that will typically be retrieved from a storage device at approximately the same time or in succession. A Web object such as a Web page may have a correlated retrieval time with several other Web objects. For example, a Web page may have a plurality of Web objects embedded in the page that will typically  
25 be retrieved each time the Web page is retrieved. The Web page may also include hyper-links to Web objects that may be retrieved via the hyper-links shortly after the Web page is retrieved. In another embodiment, a primary Web page may have other Web pages embedded or hyper-linked, each with retrieval times correlated to the retrieval time of the primary Web page. Embedding and

hyper-linking relationships are just two of the many possible examples of Web objects with correlated retrieval times.

Referring to Fig. 2, the Web caching server 18 may be a computer or server that includes a microprocessor 26 and executes an operating system, such as WINDOWS NT® by Microsoft Corporation or UNIX®. In the preferred embodiment, the Web caching server 18 includes a UNIX® operating system 22 that performs normal operating system functions and procedures. Additionally, the Web caching server 18 includes a storage device 20 for storing Web page data as well as operating system files and other computer programs. In the preferred embodiment, as depicted in Figure 3, the storage device 20 consists of one or more magnetic disks (only one shown in Figure 3) having one or more platters 30. Each platter 30 includes several annular tracks 32 which are divided into sectors 34.

Again referring to Figure 2, the Web caching server also includes a cache storage and retrieval routine 24 that stores Web content on the storage device 20, and retrieves it from the device 20 at a later time. The routine 24 may be stored on storage device 20 or any other programmable storage device, such as a magnetic disk, optical storage device, application specific integrated circuit (ASIC), or erasable programmable read-only memory (EPROM). The cache storage and retrieval routine 24 may be executed by the microprocessor 26 of the Web caching server 18 to store Web content. Referring to Figure 4, when a URL is entered in the Web browser 10 of the client computer 12, the Internet Service Provider 14 may query the Web caching server 18 to determine if data for a particular Web page is available in cache. If data for the Web page is not in cache, then the Internet Service Provider 14 submits the request for the Web page to the Web origin server 16 specified by the URL. When the data for the requested Web page is received by the Internet Service Provider 14, the data may be stored on the Web caching server 18.

The Web caching server 18 may operate in a continuous mode or a batch mode when processing Web pages and Web objects. In continuous mode, the Web caching server 18 processes Web objects continuously as it receives them from the origin server 16. In batch mode, the Web caching server 18 stores Web objects in a temporary cache on a storage device for later processing.

In accordance with continuous mode, each time the Web caching server 18 receives a Web object from the origin server 16, the cache storage and retrieval routine 24 determines whether or



The cache storage and retrieval routine 24 repeats this operation until all Web pages in the temporary cache have been processed and stored in co-located positions with their respective Web objects.

In some conventional Web caching servers, as described previously, an operating system provides file system commands to access data on a disk. However, the commands provided by the operating system for writing data to a disk generally do not allow for co-locating a series of data or files on disk. In accordance with the present invention, the cache storage and retrieval routine 24 attempts to store a Web page and each of its embedded or hyper-linked Web objects in co-located positions on the storage device 20. For example, a file containing the Web page may be stored in the same track 32 or on the same cylinder as other Web objects embedded in that Web page. The Web objects embedded in a particular Web page may be stored in contiguous sectors 34 of a particular track 32 or on adjacent tracks 32. Additionally, related Web objects may be stored on adjacent cylinders of the storage device 20, or on closely spaced cylinders (e.g., non-adjacent cylinders that are separated by only a few cylinders).

Again referring to Figure 4, the cache storage and retrieval routine 24 may be executed to store each of the embedded or hyper-linked Web objects with a requested Web page. The routine 24 may utilize custom software routines rather than operating system supplied file system commands in order to store Web objects in co-located positions. In one embodiment, the custom software routines may execute low level system operations that write each portion of data or file to the storage device 20 in succession. In this embodiment, a low level system operation that writes a single Web object to the storage device 20 may be executed several times in succession to store a Web page and all of the embedded or hyper-linked Web objects in co-located positions. Alternatively, the system operation may store several Web objects on the storage device 20 at one time. For example, the system operation may accept a series of Web objects as parameters, and by one execution of the system operation, may store each Web object on the storage device 20 in co-located positions.

In accordance with another embodiment of the invention, the cache storage and retrieval routine may utilize device driver commands for storing data on the storage device 20. Conventional hardware devices, such as a the storage device 20, come with software routines known as device drivers that interact directly with hardware components and are developed for a particular model of a hardware device. Generally, an operating system for a computer does not interact directly with



hardware devices attached to the computer. Rather, the operating system executes software routines of a device driver for a particular hardware device in order to access the device. The cache storage and retrieval routine 24 may utilize routines of a device driver that store a series of files in co-located positions on the storage device 20 in the same manner as described for low level system operations. Alternatively, the cache storage and retrieval routine 24 may implement custom operations that interact directly with the storage device 20, similar to a device driver. When executed, the custom operations store Web objects in co-located positions.

By storing each of the Web objects having correlated retrieval times in co-located positions on the storage device 20, the seek time involved in retrieving the Web objects is significantly reduced. When a Web page is requested from the Web caching server 18, the Web page and all embedded or hyper-linked Web objects are retrieved from the storage device 20, as depicted in Figure 4. During the retrieval process, the seek time is reduced because a disk head of the storage device 20 does not have to continuously move from one cylinder to another to retrieve a series of Web objects. In conventional Web caching servers, a disk head of a storage device frequently moves between different cylinders of a disk to retrieve these files, portions of which are stored at widely dispersed cylinders on the disk. However, in accordance with the invention, Web objects are stored in co-located positions, allowing for substantially sequential data retrieval and minimizing movement of a disk head.

The embodiments of the invention discussed thus far incorporate the Web caching server 18 having the cache storage and retrieval routine 24 into an Internet Service Provider 14. This is but one possible location for a Web caching server 18 in accordance with the invention. In other embodiments, the Web caching server 18 may be located on the client computer 12, such that Web pages may be cached on a storage device attached to the client computer 12. Alternatively, the Web caching server 18 may be located on a network server computer to which the client computer is attached. In this embodiment, the client computer 12 may access the Internet via the network server computer that is then connected to the Internet Service Provider 14. In other embodiments, the Web caching server 18 may be located between the Internet Service Provider 14 and the Web origin server 16, or a cluster of Web origin servers 16. Still in other embodiments, separate Web caching servers 18 may be utilized at each of the locations described previously. In yet another embodiment, Web

5 caching servers 18 may be used at each of the locations described previously, as part of a Web caching server cluster, consisting of one or more individual Web caching servers 18.

10 In accordance with another embodiment of the invention, the cache storage and retrieval routine 24 may be implemented on the Web origin server 16 to reduce the retrieval time for Web pages that are not cached in a Web caching server 18. In this embodiment, an additional reconfiguration routine may be implemented to reconfigure the location of Web objects on a storage device after a modification has been made to a Web page. For example, if a Web page designer adds new Web content to a Web page, the reconfiguration routine may be used to ensure that any new Web objects are stored in co-located positions to other Web objects embedded or hyper-linked in the Web page.

15 It should be appreciated by those skilled in the art that numerous variations from the described embodiments may be implemented without diverging from or limiting the scope of the invention.

CLAIMS:

What is claimed is:

1. A method of storing Web content, comprising:  
storing a first Web object on a storage device; and  
storing a second Web object on the storage device in a co-located position from the first Web object, wherein the first and second Web objects have correlated retrieval times.
2. The method of claim 1, wherein the first Web object is a Web page and the second Web object is embedded in the Web page.
3. The method of claim 2, wherein the second Web object is a Web page embedded in the first Web object.
4. The method of claim 1, wherein the first Web object is a Web page and the second Web object is hyper-linked in the Web page.
5. The method of claim 1, wherein the storage device is a magnetic disk.
6. The method of claim 5, wherein the magnetic disk has at least one cylinder and the first and second Web objects are stored on the cylinder of the magnetic disk.
7. The method of claim 5, wherein the magnetic disk has a plurality of cylinders and the first and second Web objects are stored on closely spaced cylinders.
8. The method of claim 1, wherein the storage device is located on a Web caching server.
9. The method of claim 1, wherein the first and second Web objects comprise electronic files.

10. The method of claim 1, wherein at least one of the first and second Web objects comprises a text file.

11. The method of claim 1, wherein at least one of the first and second Web objects comprises an image file.

12. The method of claim 1, wherein at least one of the first and second Web objects comprises an audio file.

13. The method of claim 1, wherein at least one of the first and second Web objects comprises a video file.

14. A storage system for Web objects, comprising:  
a microprocessor;

a storage device coupled to the microprocessor, the storage device adapted to store Web objects and storage routines; and

a storage routine stored on the storage device, the storage routine adapted to store first and second Web objects on the storage device in co-located positions, wherein the first and second Web objects have correlated retrieval times.

15. The storage system of claim 14, wherein the first Web object is a Web page and the second Web object is embedded in the Web page.

16. The storage system of claim 15, wherein the second Web object is a Web page embedded in the first Web object.

17. The storage system of claim 14, wherein the first Web object is a Web page and the second Web object is hyper-linked in the Web page.

1 18. The storage system of claim 14, wherein the storage device is a magnetic disk.

2  
3 19. The storage system of claim 18, wherein the magnetic disk has at least one cylinder and the  
4 first and second Web objects are stored on the cylinder of the magnetic disk.

5  
6 20. The storage system of claim 18, wherein the magnetic disk has a plurality of cylinders and  
7 the first and second Web objects are stored on closely spaced cylinders.

8  
9 21. The storage system of claim 14, wherein the first and second Web objects comprise  
10 electronic files.

11  
12 22. The storage system of claim 14, wherein at least one of the first and second Web objects  
13 comprises a text file.

14  
15 23. The storage system of claim 14, wherein at least one of the first and second Web objects  
16 comprises an image file.

17  
18 24. The storage system of claim 14, wherein at least one of the first and second Web objects  
19 comprises an audio file.

20  
21 25. The storage system of claim 14, wherein at least one of the first and second Web objects  
22 comprises a video file.

23  
24 26. A programmable storage device readable by a machine, tangibly embodying a program of  
25 instructions executable by the machine to perform a method for storing Web content, said method  
26 comprising:

27 storing a first Web object on a storage device; and

28 storing a second Web object on the storage device in a co-located position from the first Web  
29 object, wherein the first and second Web objects have correlated retrieval times.

1 27. The programmable storage device of claim 26, wherein the first Web object is a Web page  
2 and the second Web object is embedded in the Web page.  
3

4 28. The programmable storage device of claim 27, wherein the second Web object is a Web page  
5 embedded in the first Web object.  
6

7 29. The programmable storage device of claim 26, wherein the first Web object is a Web page  
8 and the second Web object is hyper-linked in the Web page.  
9

10 30. The programmable storage device of claim 26, wherein the storage device is a magnetic disk.  
11

12 31. The programmable storage device of claim 30, wherein the magnetic disk has at least one  
13 cylinder and the first and second Web objects are stored on the cylinder of the magnetic disk.  
14

15 32. The programmable storage device of claim 30, wherein the magnetic disk has a plurality of  
16 cylinder and the first and second Web objects are stored on closely spaced cylinders.  
17

18 33. The programmable storage device of claim 26, wherein the first and second Web objects  
19 comprise electronic files.  
20

21 34. The programmable storage device of claim 26, wherein at least one of the first and second  
22 Web objects comprises a text file.  
23

24 35. The programmable storage device of claim 26, wherein at least one of the first and second  
25 Web objects comprises an image file.  
26

27 36. The programmable storage device of claim 26, wherein at least one of the first and second  
28 Web objects comprises an audio file.

1 37. The programmable storage device of claim 26, wherein at least one of the first and second  
2 Web objects comprises a video file.

3  
4 38. A method of storing Web content, comprising:  
5 receiving a Web page;  
6 identifying embedded or hyper-linked Web objects of the Web page;  
7 receiving the embedded or hyper-linked Web objects; and  
8 storing the Web page and the embedded or hyper-linked Web objects in co-located positions  
9 on a storage device.

10  
11 39. A method of storing Web content, comprising:  
12 receiving a plurality of Web objects;  
13 identifying at least one of the plurality of Web objects as a Web page;  
14 identifying one or more of the plurality of Web objects as embedded or hyper-linked Web  
15 objects of the Web page; and  
16 storing the Web page and the embedded or hyper-linked Web objects in co-located positions  
17 on a storage device.

10

[illegible]






Fig. 1

0957999-10000

Parameter	Value	Unit
$\alpha$	0.001	
$\beta$	0.001	
$\gamma$	0.001	
$\delta$	0.001	
$\epsilon$	0.001	
$\zeta$	0.001	
$\eta$	0.001	
$\theta$	0.001	
$\iota$	0.001	
$\kappa$	0.001	
$\lambda$	0.001	
$\mu$	0.001	
$\nu$	0.001	
$\xi$	0.001	
$\omicron$	0.001	
$\pi$	0.001	
$\rho$	0.001	
$\sigma$	0.001	
$\tau$	0.001	
$\upsilon$	0.001	
$\phi$	0.001	
$\chi$	0.001	
$\psi$	0.001	
$\omega$	0.001	
$\Omega$	0.001	
$\Theta$	0.001	
$\Upsilon$	0.001	
$\Phi$	0.001	
$\Psi$	0.001	
$\Xi$	0.001	
$\Omicron$	0.001	
$\Pi$	0.001	
$\Sigma$	0.001	
$\Upsilon$	0.001	
$\Phi$	0.001	
$\Psi$	0.001	
$\Xi$	0.001	
$\Omicron$	0.001	
$\Pi$	0.001	
$\Sigma$	0.001	
$\Upsilon$	0.001	
$\Phi$	0.001	
$\Psi$	0.001	
$\Xi$	0.001	
$\Omicron$	0.001	
$\Pi$	0.001	
$\Sigma$	0.001	
$\Upsilon$	0.001	
$\Phi$	0.001	
$\Psi$	0.001	
$\Xi$	0.001	
$\Omicron$	0.001	
$\Pi$	0.001	
$\Sigma$	0.001	
$\Upsilon$	0.001	
$\Phi$	0.001	
$\Psi$	0.001	
$\Xi$	0.001	
$\Omicron$	0.001	
$\Pi$	0.001	
$\Sigma$	0.001	
$\Upsilon$	0.001	
$\Phi$	0.001	
$\Psi$	0.001	
$\Xi$	0.001	
$\Omicron$	0.001	
$\Pi$	0.001	
$\Sigma$	0.001	
$\Upsilon$	0.001	
$\Phi$	0.001	
$\Psi$	0.001	
$\Xi$	0.001	
$\Omicron$	0.001	
$\Pi$	0.001	
$\Sigma$	0.001	
$\Upsilon$	0.001	
$\Phi$	0.001	
$\Psi$	0.001	
$\Xi$	0.001	
$\Omicron$	0.001	
$\Pi$	0.001	
$\Sigma$	0.001	
$\Upsilon$	0.001	
$\Phi$	0.001	
$\Psi$	0.001	
$\Xi$	0.001	
$\Omicron$	0.001	
$\Pi$	0.001	
$\Sigma$	0.001	
$\Upsilon$	0.001	
$\Phi$	0.001	
$\Psi$	0.001	
$\Xi$	0.001	
$\Omicron$	0.001	
$\Pi$	0.001	
$\Sigma$	0.001	
$\Upsilon$	0.001	
$\Phi$	0.001	
$\Psi$	0.001	
$\Xi$	0.001	
$\Omicron$	0.001	
$\Pi$	0.001	
$\Sigma$	0.001	
$\Upsilon$	0.001	
$\Phi$	0.001	
$\Psi$	0.001	
$\Xi$	0.001	
$\Omicron$	0.001	
$\Pi$	0.001	
$\Sigma$	0.001	
$\Upsilon$	0.001	
$\Phi$	0.001	
$\Psi$	0.001	
$\Xi$	0.001	
$\Omicron$	0.001	
$\Pi$	0.001	
$\Sigma$	0.001	
$\Upsilon$	0.001	




Fig. 2




Fig. 3




Fig. 4

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)  
Approved for use through 9/30/00. OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

<b>DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)</b>	<b>Attorney Docket Number</b>	4646.002
	<b>First Named Inventor</b>	Cox, Alan L.
	<b>COMPLETE IF KNOWN</b>	
	<b>Application Number</b>	/
	<b>Filing Date</b>	
	<b>Group Art Unit</b>	
<input checked="" type="checkbox"/> Declaration Submitted with Initial Filing	<b>OR</b>	<input type="checkbox"/> Declaration Submitted after Initial Filing (surcharge (37 CFR 1.16 (e)) required)
	<b>Examiner Name</b>	

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

STORAGE AND RETRIEVAL SYSTEM FOR WEB CACHE

the specification of which (Title of the Invention)

☒ is attached hereto

**OR**

☐ was filed on (MM/DD/YYYY) [ ] as United States Application Number or PCT International Application Number [ ] and was amended on (MM/DD/YYYY) [ ] (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
				YES	NO
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below

Application Number(s)	Filing Date (MM/DD/YYYY)

☐ Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → ☐

PTO/SB/01 (12-97)  
Approved for use through 9/30/00. OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

## DECLARATION — Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

☐ Customer Number  OR  
☐ Registered practitioner(s) name/registration number listed below

Place Customer  
Number Bar Code  
Label here

Name	Registration Number	Name	Registration Number
C. Dale Quisenberry	36,643		

☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto

Direct all correspondence to: ☐ Customer Number  OR ☐ Correspondence address below

Name	C. Dale Quisenberry				
Address	GOLDSTEIN & HEALEY, LLP				
Address	1177 West Loop South, 10th Floor				
City	Houston	State	TX	ZIP	77027
Country	USA	Telephone	713-877-1515	Fax	713-877-1145

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:		<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle (if any))		Family Name or Surname			
Alan L.		Cox			
Inventor's Signature	Alan L. Cox			Date	9/26/00
Residence: City	Houston	State	TX	Country	USA
Post Office Address	2828 Greenbriar Dr., #4103				
Post Office Address	2828 Greenbriar Dr., #4103				
City	Houston	State	TX	ZIP	77025
				Country	USA

☒ Additional inventors are being named on the \_\_\_\_\_ supplemental Additional Inventor(s) sheet(s) PTO/SB/02A attached hereto




Please type a plus sign (+) inside this box → +

PTO/SB/02A (3-97)  
Approved for use through 9/30/98. OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

## DECLARATION

### ADDITIONAL INVENTOR(S) Supplemental Sheet Page 3 of 4

<b>Name of Additional Joint Inventor, if any:</b>				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Y. Charlie				Hu			
Inventor's Signature				Date	09/26/2008		
Residence: City	Houston	State	TX	Country	USA	Citizenship	USA
Post Office Address	2630 Bissonnet, #145						
Post Office Address	2630 Bissonnet, #145						
City	Houston	State	TX	ZIP	77005	Country	USA
<b>Name of Additional Joint Inventor, if any:</b>				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Vijay S.				Pai			
Inventor's Signature				Date	September 26, 2008		
Residence: City	Houston	State	TX	Country	USA	Citizenship	USA
Post Office Address	3903 Cedar Gardens Drive						
Post Office Address	3903 Cedar Gardens Drive						
City	Houston	State	TX	ZIP	77082	Country	USA
<b>Name of Additional Joint Inventor, if any:</b>				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Vivek S.				Pai			
Inventor's Signature				Date	Sep 25 2008		
Residence: City	Princeton	State	NJ	Country	USA	Citizenship	USA
Post Office Address	35 Olden Street						
Post Office Address	35 Olden Street						
City	Princeton	State	NJ	ZIP	08544	Country	USA

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Please type a plus sign (+) inside this box → ☐

PTO/SB/02A (3-97)  
Approved for use through 9/30/98. OMB 0651-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

## DECLARATION

ADDITIONAL INVENTOR(S)  
Supplemental Sheet  
Page 4 of 4

Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Willy				Zwaenepoel			
Inventor's Signature	Willy Zwaenepoel			Date	9/26/0		
Residence: City	Houston	State	TX	Country	USA	Citizenship	BELGIAN
Post Office Address	7530 Brompton, Apt. 852						
Post Office Address	7530 Brompton, Apt. 852						
City	Houston	State	TX	ZIP	77025	Country	USA
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Inventor's Signature				Date			
Residence: City		State		Country		Citizenship	
Post Office Address							
Post Office Address							
City		State		ZIP		Country	
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name (first and middle [if any])				Family Name or Surname			
Inventor's Signature				Date			
Residence: City		State		Country		Citizenship	
Post Office Address							
Post Office Address							
City		State		ZIP		Country	

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



Assignee: iMimic Networking, Inc. )  
)  
For: STORAGE AND RETRIEVAL SYSTEM )  
FOR WEB CACHE )

Assistant Commissioner for Patents  
Washington, D.C. 20231

CERTIFICATE OF MAILING  
37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as First Class Mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

10-02-00      Elaine Barnes  
Date                      Signature

The Assignee hereby revokes any previous Powers of Attorney and appoints C. Dale Quisenberry, Reg. No. 36,643 and Edward W. Goldstein, Reg. No. 22,945, each an attorney with the law firm of GOLDSTEIN & HEALEY, L.L.P., such law firm, with full power of substitution and revocation, to prosecute the Application, to make alterations and amendments therein, to transact all business in the Patent and Trademark Office in connection therewith, to receive any Letters Patent, and for one year after issuance of such Letters Patent to file any request for a certificate of correction that may be deemed appropriate.

1

Please direct all communications as follows:

C. Dale Quisenberry (4646.002)  
GOLDSTEIN & HEALEY, L.L.P.  
1177 West Loop South, 10th Floor  
Houston, Texas 77027  
Telephone: (713) 877-1515  
Facsimile: (713) 877-1145

Date: 9/26/00

By: Willy Zwaneveld  
Name: WILLY ZWANEVELD  
Title: CEO

ASSIGNMENT:

☒ Enclosed for recording  
☐ Previously recorded  
Date: \_\_\_\_\_  
Reel: \_\_\_\_\_  
Frame: \_\_\_\_\_